













	V01	V02	
Pos.	Danfoss	Danfoss	
	TLES 9 K	TLY 8 K	
1			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES				
Verdichter/Compressor/Compresseur		Danfoss		
Typ/Type		TLES 9 K	TLY 8 K	
Förderleistung/Delivery/Débit	l/h	1589	1404	
Anlaufstrom/Starting current/Cour de démarrage	A	8,8		
Widerstand/Resistance/Résistance	Ha/main/prin. Ω	16,5	21,6	
	Hi/aux Ω	16,9	26,0	
Temp.-Regler/Thermostat		WHF/TPC		
Typ/Type		TF57F1K	KER/RCO	
Reglerstellung/Position	$^{\circ}\text{C}$	kalt	warm	
Schaltwerte/Switching values/Valeurs de commutation	„ein“	+5	+5	
	„aus“	-31	-20	
	(„abtauen“ od.)		-32	
	„alarm“		-21	
Füllmenge/Fill.quantity/Charge	R600a	g	54	56
Anschlußwert/Conn.load/Puiss. connectée	W		104	
Heizung/Heater/Chauffage				
Widerstand/Resistance/Résistance	Ω			
Leistung/Power/Puissance	W			
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance	Ω			
Schaltuhr/Timer/Minuterie de contact				
Widerstand/Resistance/Résistance	Ω			
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance	Ω			
Spannung/Voltage/Tension	V			