







35 4159



26 2266



35 4323



26 6151



26 6089




26 6156



26 6151




26 6089




26 6156



35 4322




35 4165




35 4162

21 4739




21 5398




2)

4)

23 5099




23 5671



17 1319

2)

- 1) 35 4164
- 2) 17 1321
- 3) 35 4166
- 4) 35 6211
- 5) 35 4167
V01
35 7912
V02,V03
- 6) 35 4161
V01
35 7913
V02,V03



Pos.	Danfoss		
	NLE3K		
1	14 1877		
2	16 5570		
3	16 3427		
4	35 4158		
5	17 1318		
6	26 5327		
7	17 1519		
8			
9			
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BİLGİLER			
Verdichter/Compressor/Kompresör	Danfoss		
Typ/Type/Tip	NLE3K		
Förderleistung/Delivery/Verim/h			
Anlaufstrom/Starting current/Giris akimi	A	10.7	
Widerstand/Resistance/Rezistans	Ω	12.9	
Hi/aux.		18	
Temp.Reyler/Thermostat/Termostat	K59/P1777		
Typ/Type/Tip			
Reglerstellung/Position/Termostat pozisyonu			
Schaltwerte/Acta kapama degerleri	..ein/acma °C	+3.5 +3.5	
Valeurs de commutation/Termostat degeri	..aus"/kapama	-31 -20	
(..abtaven' od)	..alarm'		
Füllmenge/Fill. quantily/ Dolum miktarı	R600	g	*
Anschlusswert/Comm. load/Giris gucu	W	*	
Heizung/Heater/Rezistans			
Widerstand/Resistance/Diranc	Ω		
Leistung/Power/Guc	W		
Ventilador/Blower/Vantilatör			
Widerstand/Resistance/Rezistans	Ω		
Magnetventil/Magnetic valve/Manyetik valf			
Widerstand/Resistance/Rezistans	Ω		
Spannung/Voltage/Gerilim	V		
Temp.Reyler/Thermostat/Termostat			

* Siehe Typenschild/Mamul etiketine bakınız