




Libro de instrucciones
51 6718
(E,P,GB,F,NL,GR)







Pos.	KÜHLGERATE
	MATSUSHITA
	D77C15RA
1	14 1288
2	15 0603
3	
4	
5	
6	
7	
8	28 8253
9	05 0166
10	
11	08 8535
12	
13	

TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS		
Verdichter/Compressor/Compresseur/Compresor Typ/Type/Tipo		MATSUSH. D77C15RA
Förderleistung/Delivery/Debit/Aspiración l/h		
Anlaufstrom/Starting current/Cour.démarrage/Int.arranque A		9,24
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm		10,98
Hi/aux.		27,70
Temp.Reyler/Thermostat/Termostato Typ/Type/Tipo		RANCO K52-L1561
Reglerstellung/Position/Conexión		MÁX.-MÍN
Schaltwerte/Switching values/	..ein/conex. °C	+3,5° +6°
Valeurs de commutation/Desconex.	..aus"/descon.	+4° +14°
(..abtaven' od)	..alarm'	
Füllmenge/Fill. quantily/Charge/Carga 134a		g
		110
AnschluBwert/Comm. load/puiss. Connect./Potenc.		W
		186
Heizung/Heater/Chauflage/Resistenc.descong.		
Widerstand/Resistance/Resistencia	Ohm	
Leistung/Power/Puissance/Potencia	W	
Ventilador/Blower/Ventilateur/Ventilador		
Widerstand/Resistance/Resistencia	Ohm	
Magnetventil/Magnetic valve/Electrovanne/Electrovalvula		
Widerstand/Resistance/Resistencia	Ohm	
Spannung/Volare/Tension/Tensión	V	
Temp.Reyler/Thermostat/Termostato ambiente para ventilador refrigerador		